



## **WATER COOLED TIG TORCH**

WATER COOLED TORCH Rating 350A DC,260A AC @ 100% Duty Cycle  
EN60974-7 0.020" to 5/32" 0.5MM to 4.0mm electrodes.

## **AIR COOLED TORCH**

AIR COOLED TORCH Rating 200A DC,150A AC @ 60% Duty Cycle  
EN60974-7 0.020" to 5/32" 0.5MM to 4.0mm electrodes.

## **AIR COOLED TORCH WITH VALVE**

AIR COOLED TORCH Rating 200A DC,150A AC @ 60% Duty Cycle  
EN60974-7 0.020" to 5/32" 0.5MM to 4.0mm electrodes.

## Electrode Holder 200A & 500A


Compact construction with safety insulation, Excellent for both AC and DC Arc welding.



MODEL	MAX AMP	ELECTRODE SIZE	CABLE SIZE
EH-200A	200A	2.5-4.0 MM	50MM <sup>2</sup>
EH-500A	500A	6.3-8.0 MM	70MM <sup>2</sup>

## Earth Clamp 300A & 500A

Galvanized Steel ,Spring Loaded



MODEL	MAX AMP	CABLE SIZE
EC-300A	300A	50MM <sup>2</sup>
EC-500A	500A	70MM <sup>2</sup>

## Male connector for 50 & 70mm<sup>2</sup>



## Female connector for 50 & 70mm<sup>2</sup>



## Lug



## 14Pin connector for TIG Guns

